

Date: Friday, 31/10/2008 10:20:14 AM
User: Julie Dawson

Process Sheet

Customer	: CU-DAR001, Dart Helicopters Services	Drawing Name	: BLADE FITTING
Job Number	: 43122	Part Number	: D3488042
Estimate Number	: 12300	Drawing Number	: D3488 / DSK101
P.O. Number	:	Project Number	: N/A
This Issue	: 31/10/2008 S.O. No. :	Drawing Revision	: B7D
Prsht Rev.	: NC	Material	:
First Issue	: 1/	Due Date	: 15/11/2008
Previous Run	: 42415	Qty:	20 Um: Each
Written By	:		
Checked & Approved By	: <u>JD 08.10.31</u>		
Comment	Est Rev:A New Issue 06-02-28 ULM Est Rev:B As per Rev B 06-03-30 ULM Est Rev:C Now On Doosan Lathe ULM Verified BY:DD		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D6103003	Round Billet, Aluminum
-----	----------	------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 20.0000 Each(s)

Aluminum Round Billet D6103-003

Batch: B 41965 (X4)

B 42281 (X25)

2.0	DOOSAN LATHE	DOOSAN LATHE
-----	--------------	--------------



Comment: DOOSAN CNC LATHE

1-Turn as per Dwg DSK 101 & Folio FA627

2-Deburr

SD 0811121

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SD 0811121

4.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1

1-Machine as per Folio FA627 & Dwg D3488

2-Deburr

29 08/11/21

M.A

08/11/28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 31/10/2008 10:20:14 AM
User: Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BLADE FITTING

Job Number: 43122

Part Number: D3488042

Job Number:



Seq. #: Machine Or Operation: Description :

5.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

20 08/11/29 J.A

08/11/28

6.0

QC8

SECOND CHECK



Comment: SECOND CHECK

J.L 08/12/01

(19)

7.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

J.L

08/12/01

(X19)

8.0

POWDER COATING

POWDER COATING



M 109152



(19X)

Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

START TIME:

11:10 OF

OVEN TEMPERATURE:

320

FINISH TIME:

11:40

M.L 08/12/01

9.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

F.L 08/12/01

(19)

10.0

ALS71032225

INSERT



*



(19X)

Comment: Qty.: 4.0000 Each(s)/Unit Total: 80.0000 Each(s)

Pick:

Qty Part Number Description Batch

4 ALS7-1032-225 Insert

M 100621

11.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



(19X)

Comment: HAND FINISHING RESOURCE #1

Install Inserts as per Dwg D3488

M.L

08/12/01

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 31/10/2008 10:20:14 AM
User: Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BLADE FITTING

Job Number: 43122

Part Number: D3488042

Job Number:



Seq. #:

Machine Or Operation:

Description :

12.0

QC5

INSPECT WORK TO CURRENT STEP



MF 08 12 01



(19)

Comment: INSPECT WORK TO CURRENT STEP

13.0

PACKAGING 1

PACKAGING RESOURCE #1



(19X)

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

F P-8

M-L 08/12/01

14.0

QC21

FINAL INSPECTION/W/O RELEASE



08/12/02

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF 08 12 01

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: <u>W3122</u>
Description: Blade Fitting, RH / Turning Detail for D3488-1/-2		Part Number: <u>D3488-2</u>
Inspection Dwg: D3488 / DSK101 Rev: B / D		Page 1 of 2

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Lathe Section						
Ø2.150	+/-0.005	2.145	/			
Ø2.780	+/-0.005	Ø2.781	/			
Ø3.125	+/-0.010	Ø3.124	/			
Ø3.346	+/-0.010	Ø3.347	/			
0.125 x 45°	+/-0.010 x +/-0.1°	.117 x 45°	/			
8.000	+0.030/-0.000	8.012	/			
9.250	+/-0.010	9.248	/			
0.188	+/-0.010	.187	/			
R0.032	+/-0.010	R.032	/			
R0.062	+/-0.010	R.062	/			
Ø0.297	+0.005/-0.001	Ø.298	/			
Ø0.430	+/-0.010	Ø.430	/			
0.100	+/-0.010	.108	/			
0.125	+/-0.010	.128	/			
2.620	+/-0.010	2.620	/			
3.500	+/-0.010	3.500	/			
1.005	+/-0.010	1.005	/			
Ø0.484	+0.005/-0.001	Ø.485	/			
1.180	+/-0.010	1.180	/			
3.150	+/-0.010	3.150	/			
3.070	+/-0.010	3.070	/			
8.000	+/-0.010					N/A
R0.063	+/-0.010	R.063	/			

DART AEROSPACE LTD		Work Order: 43122	
Description: Blade Fitting, RH / Turning Detail for D3488-1/-2		Part Number: D3488-2	
Inspection Dwg: D3488 / DSK101 Rev: B / D		Page 2 of 2	

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Milling Section						
Ø0.508	+0.006/-0.001	Ø0.5088	✓			
0.750	+/-0.010	0.740	✓			
1.500	+/-0.010	1.498	✓			
11.18	+/-0.030	11.181	✓			
R0.062	+/-0.010	R0.062	✓			
0.125	+/-0.010	0.130	✓			
0.590	+/-0.010	0.589	✓			
0.793	+/-0.010	0.797	✓			
1.351	+/-0.010	1.349	✓			
1.317	+/-0.010	1.315	✓			
1.802	+/-0.010	1.801	✓			

Measured by: B.A	Audited by: J.L	Prototype Approval:	N/A
Date: 08/11/28	Date: 08/12/01	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	06.03.31	New Issue	KJ/JLM	
B	08.09.19	Reformat P/O D3488-042	KJ/JLM	



SECTION B-B

Ø0.297
C'BORE Ø0.430 x 0.100
INSTALL ALS4-1032-225 (OR AKS4-1032-225
OR ALS7-1032-225 OR AKS7-1032-225)
INSERTS AFTER FINISH
(4 PLACES)

4



SECTION A-A




D3488-041/-042 BLADE FITTING ASSEMBLY PARTS LIST

QTY -041	QTY -042	PART NUMBER	DESCRIPTION
X	X	D3488-041	BLADE FITTING ASSEMBLY (LH)
		D3488-042	BLADE FITTING ASSEMBLY (RH)
1		D3488-1	BLADE FITTING (LH)
	1	D3488-2	BLADE FITTING (RH)
4	4	ALS4-1032-225 or AKS4-1032-225 or ALS7-1032-225 or AKS7-1032-225	INSERT

D3488-041/-042 BLADE FITTING

- MATERIAL: MAKE D3488-1/-2 FROM ALUMINUM 7075-T7351 ROUND BAR PER QQ-A-225/9 (REF. DART MATERIAL SPEC M7075T73R)
- FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1 POWDER COAT WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- BREAK UNMARKED SHARP EDGES 0.010 TO 0.020
- INSTALL INSERTS AFTER POWDER COAT
- ALL DIMENSIONS ARE IN INCHES
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

WORK ORDER
NO. 43322
SUBJECT TO AMENDMENT
WITHOUT NOTICE
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY



DETAIL C

L D3488-041 SHOWN (D3488-042 OPPOSITE) R

RELEASED
06.03.15 PH
PER DS
ECN #734


B	06.03.15	CHANGE THICKNESS
A	05.12.20	NEW ISSUE
DESIGN	PH	DRAWN BY PH
CHECKED	#	APPROVED #
DATE	06.03.15	TITLE
		BLADE FITTING
		DART DART AEROSPACE USA, INC. PORT HADLOCK, WA
		DRAWING NO. D3488
		REV. B SHEET 1 OF 1
		SCALE 1:3

COPYRIGHT © 2005 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

DART

06.05.09

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	REV. D
04	04	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	SHEET 1 OF 1
04	04	DSK 101	
DATE	TITLE	SCALE	
06.05.09	D3488-1/-2 TURNING DETAIL	1:3	
A	05.12.21	NEW ISSUE	
B	06.03.02	ADD TOLERANCES AND RADIUS	
C	06.04.17	0.188 WAS 0.125	
D	06.05.09	REMOVE DIAMETER FOR CHAMFER	



- DSK 101
- 1) MATERIAL: MAKE FROM ALUMINUM 7075-T7351 ROUND BAR PER QQ-A-225/9 (REF. DART MATERIAL SPEC M7075T73R)
 - 2) FINISH: NONE
 - 3) BREAK UNMARKED SHARP EDGES 0.010 TO 0.020
 - 4) ALL DIMENSIONS ARE IN INCHES
 - 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

